# OFFICE OF THE ENGINEER-IN-CHIEF
# P.W.D. NIRMAN BHAVAN, NORTH BLOCK,SECTOR-19
# NAWA RAIPUR, ATAL NAGAR (CHHATTISGARH)

## AMMENDMENT NO. 08

No. 65011/ 656 /SOR/ Nawa Raipur, Atal Nagar Dated 05/05/2025

The following ammendments are hereby issued in the items mentioned below in S.O.R. for Building Works (in effect from 01-01-2015)

1. Chapter-14- DISTEMPERING, PAINTING AND FINISHING

1) Item No. 14.1, 14.2, 14.3, 14.4, 14.5, 14.6, 14.7, 14.8, 14.9, 14.10, 14.11, 14.12, 14.13, 14.14, 14.15, 14.16, 14.17, 14.18, 14.19, 14.20, 14.21, 14.22, 14.23, 14.24, 14.25, 14.26, 14.27, 14.28, 14.29, 14.30, 14.31, 14.32, 14.33, 14.34, 14.35, 14.36, 14.37, 14.38, 14.39, 14.40, 14.41, 14.42, 14.43, 14.44, 14.45, 14.46, 14.47, 14.48, 14.49, 14.50, 14.51 and 14.52 stands deleted.

2) Item No. 14.53, 14.54, 14.55, 14.56, 14.57, 14.58, 14.59, 14.60, 14.61, 14.62, 14.63, 14.64, 14.65, 14.66, 14.67, 14.68, 14.69, 14.70, 14.71, 14.72, 14.73, 14.74, 14.75, 14.76, 14.77, 14.78, 14.79, 14.80, 14.81, 14.82, 14.83, 14.84, 14.85, 14.86, 14.87, 14.88, 14.89, 14.90, 14.91, 14.92, 14.93, 14.94, 14.95, 14.96, 14.97, 14.98, 14.99 and 14.100 are added as given below.

| Item No. | Description | Unit | Rate Rs |
|---|---|---|---|
| 14.53 | White <u>washing/ Colour washing with lime</u> to give an even shade in Three or more Coats for New surface as per relevant IS code 6278:1971 Consumption of lime 3.50kg /10 Sqm with all tools tackles and labour etc. complete for the work. | Sqm | 14.00 |
| | **PUTTY** | | |
| 14.54 | Providing and applying <u>plaster of paris putty</u> over plastered wall surface including scaffolding complete | | |
| 14.54.1 | Upto 2 mm thickness to make surface even and smooth in line and level. | Sqm | 82.00 |
| 14.54.2 | More than 2 mm to 4mm thickness to make surface even and smooth in line and level. | Sqm | 103.00 |
| 14.55 | Preparation of wall surface by <u>Wall Punning applying a coat of putty</u> comprising of chalk mitti, varnish and white lead in ratio 2½:1:1 (2½ kg chalk mitti : 1 litre varnish : 1 kg white lead) respectively, sand papering and making the surface smooth up to 20mm thickness. with all tools , tackles and labour etc. complete for the work. (Only for item such as pasting wall paper etc.) | Sqm | 369.00 |

1/11

| | | | |
|---|---|---|---|
| 14.56 | Providing and applying 2mm thick white cement based polymeric Exterior grade Putty with minimum 3 coats applied @ 5.4 kg/ 10Sqm as per relevant IS code 17545:2021 (Product such as Birla wall care, Asian trucare,JK wall putty, Berger Bison wall putty) to make the surface smooth and even with all tools tackles and labour etc. complete for the work. | Sqm | 86.00 |
| 14.57 | Providing and applying 2mm thick white cement based Acrylic grade putty with minimum 3 coats applied @ 4.0 kg/ 10Sqm as per relevant IS code 17545:2021 (Product such as Asian trucare, Berger Happy walls Putty , Birla Opus One pro smooth) to make the surface smooth and even with all tools tackles and labour etc. complete for the work . (This Item to be use in heigher grade painting works Item No. 14.65) | Sqm | 95.00 |
| 14.58 | Providing and applying water proofing cement paint mimimum 2 coats applied @ 3.84 kg/10 sqm up to required finish as per relevant I.S. code 5410:2013 of required shade (product such as Snowcem plus, J.K. Shri Cement paints , century Cement Paints, Apex paints ,Maxcoat cement paint ) with all tool tackles and labour etc. complete for the work . | Sqm | 53.00 |
| | **PRIMER** | | |
| 14.59 | Providing and applying Polymaric cement primer on all surface applied @ 0.80 litrs/10 sqm as per relevant I.S. code 15489:1974 (product such as Birla white primacoat/activcoat, Asian Trucare , Dulux interior cement primer, Opus Calista / I10 ) with all tool tackles and labour etc. complete for the work . | Sqm | 29.00 |
| 14.60 | Providing and applying of Acrylic primer on all surface applied @ 0.80 litrs/10 sqm as per relevant I.S. code 15489:1974 ( Product such as Asian Spark/suprimo , J.K. Primer, Dulux Acrylic Primer) with all tools tackles and labour etc. complete for the work. | Sqm | 37.00 |
| | **DISTEMPER** | | |
| 14.61 | Providing and applying Synthatic oil bound washable Distemper having VOC content less than 50gms/ lit. Minimum two coats up to final finish to give an even shade applied 1.25 kg / 10Sqm as per relevant I.S. Code 428:2000 (product such as Asian Tractor synthatic distemper , Berger Bison Lite , Dulux Magik , Birla Opus Style super smart) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | Sqm | 57.00 |

| | | | |
|---|---|---|---|
| 14.62 | Providing and applying Acrylic washable Distemper or lite economy Plastic emulsion paint having VOC content less than 50gms/ lit Minimum two coats up to final finish applied @ 1.25 Kg/ 10Sqm as per relevant I.S. Code 428:2000 (product such as Tractor Uno, Dulux Duval, Berger Bison, Opus Style/lite economy emulsion product such as Asian Tactor Spark ,Dulux Pomise sheen, Neroloc Litil Master, Berger Bison Lite, Nippon Superio.) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour complete for the work. | Sqm | 64.00 |
| | **PLASTIC EMULSION PAINT** | | |
| 14.63 | Providing and applying Economy Plastic emulsion paint with roller application minimum three coats appied @ 1.25 lit / 10 Sqm up to final finish as per relevant I.S. Code 15489:2013 Type -1 Class D & C (Glossy and Semi Glossy Finish) of required shade (product such as Tractor emulsion , Dulux Promise, Nerolac Bueaty Silver, Berger bison/breeze , Opus I30/ Style Paint) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour complete for the work . (With 2 Year warranty). | Sqm | 74.00 |
| 14.64 | Providing and applying Premium plastic emulsion paint with roller application minimum three coats applied @ 0.75 lit / 10Sqm up to final finish as per relevant I.S. Code 15489:2013 Type -1 Class D & C ( Glossy and Semi Glossy Finish) of required shade (Product such as Asian Apcolite Premium , Dulux Super Cover, Berger Easy Clean ,Nippon Breezee Metex Gold, Opus I-50 / Calista) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work.(with 3 year Warranty) | Sqm | 84.00 |
| 14.65 | Providing and applying Luxury plastic emulsion paint with roller application minimum three coats applied @ 1.25 lit / 10Sqm up to final finish as per relevant Type - 1 Class D , C , B & A (Glossy /Semi Glossy and Matt , Egg Shell or Satin finish ) of required shade (Product such as Asian Royale Shyne,Dulux Velvet Touch, Berger Silk Luxury Emulsion ,Nippon Impression Pearl , Opus Pure Elegance) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc, complete for the work. (with 4 Years Warranty ) | Sqm | 107.00 |

| | | | |
|---|---|---|---|
| | **EXTERIOR EMULSION PAINT** | | |
| 14.66 | Providing and applying on exterior surface with LITE ECONOMY Exterior Emulsion paint of required shades to give protective and water proof finish minimum three coats applied @ 1.43 lit / 10Sqm up to final finish as per relevant I.S. Code 15489:2013 Type -2 Class D , C ( Glossy /Semi Glossy finish ) (Product such as Asian ACE Spark ,Dulux Pomise exterior smart, Nerolac Littil Master, Berger Bison Lite, Nippon Superio etc) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work (With 2 Year Warranty.) | Sqm | 55.00 |
| 14.67 | Providing and applying on exterior surface with ECONOMY Exterior Emulsion paint of required shades to give protective and water proof finish minimum three coats applied @ 1.43 lit / 10Sqm up to final finish as per relevant I.S. Code 15489:2013 Type -2 Class D , C ( Glossy /Semi Glossy finish ) (Product such as Asian Ace ,Dulux Promise Exterior , Berger Wall Masta ,Nerolac Suraksha Plus ,Nippon Shogun Opus, One Style Power Bright) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work (With 2 Year Warranty) | Sqm | 70.00 |
| 14.68 | Providing and applying on exterior surface with PREMIUM Exterior emulsion paint of required shade to give protective and water proof finish minimum 3 coats applied @ 1.40 lit / 10Sqm up to final finish as per relevant I.S. Code 15489:2013 Type -2 Class D , C (Glossy /Semi Glossy finish ) (Product such as Asian Apex ,Dulux Weather Shield Prima E900 , Berger Weathercoat Antidust , Nerolac Everlas Excel , Nippon Sumo Etra, Opus True flex) inclusive of providing abro tape on edges and articleand cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work.(With 3Year Warranty.) | Sqm | 84.00 |
| 14.69 | Providing and applying exterior surface with PREMIUM HEAVY DUTY Glossy or Matt Finish Exterior Emulsion paint of required shade to give protective and water proof finish minimum three coats applied @ 1.43 lit / 10Sqm up to final finish as per relevant I.S. Code 15489:2013 Type -2 Class D , C , B & A ( Glossy / matt / Egg Shell finish )having high DFT and silicon aditive for elastomaric property (Product such as Asian Ultima ,Dulux Weathershield Maxx , Berger Weathercoat All Guard , Nerolac Excel Total , Nippon Durafresh Expert , Opus Tru Look) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. (With 4 Year Warranty) | Sqm | 110.00 |

A/D

| | | | |
|---|---|---|---|
| 14.70 | Providing and applying acrylic modified resin EXTERIOR TEXTURED with special quality silica quartz plaster as an intermediate coating on external surface giving protective layer and decorative finish on plastered surface in approved design and shade (product such as Asian Apex Series Duracast Dulux weathersheald sandtax creation) as per manufacturer's specifications inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc.complete for the work. | | |
| 14.70.1 | 2.0mm thickness (average) having design scratched with leveled & smooth surface. | Sqm | 523.00 |
| 14.70.2 | 1.5mm thickness (average) having spray coat finish with special rollar. | Sqm | 439.00 |
| | **ENAMEL PAINT** | | |
| 14.71 | Providing and applying satin/ matt finish Enamel paint mimimum 2 coats in all surface applying @ 0.75 lit/ 10 Sqm up to required finish as per relevent I.S. code 2932: 2013 of (Product such as Asian satin Enamel, Dulux Promise Premium Enamel, Nerolac Synthatic Enamel, Opus Prime enamel) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackle and labour etc. complete for the work. | Sqm | 133.00 |
| 14.72 | Providing and applying Glossy finish Enamel paint mimimum 2 coats in all surface applying @ 0.75 lit/ 10 Sqm up to required finish as per relevent I.S. code 2932: 2013 of (Product such as Asian Apcolite Premium Enamel , Dulux Promise Premium Enamel , Nerolac Synthatic Enamel, Opus Prime enamel ) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackle and labour etc. complete for the work. | Sqm | 120.00 |
| 14.73 | Providing and applying priming coat on wood work applied @ 0.50 lit/Sqm as per relevant IS code 3536:1999 ( product such Asian trucare, Burger Wood Keeper, Dulux Duwel wood primer) with all tool tackles and labour etc for complete the work. | Sqm | 35.00 |
| 14.74 | Providing and applying priming coat on steel work with red oxide/ zinc phosphate primer applied @ 0.50 lit /Sqm as per relevant code 3536:1999 ( product such as Asian Zinc phosphate , Dulux Steel primer,Burger Red oxide primer ) with all tools tackles and labour etc. complete for the work. | Sqm | 35.00 |

| | | | |
|---|---|---|---|
| 14.75 | Providing and applying exterior Floor surface with PREMIUM HEAVY DUTY Exterior emulsion paint of required shade of minimum two coats applied @ 1.43 lit / 10Sqm up to final finish as per relevant I.S. Code 15489:2013 (Product such as Asian Apex Floor Guard ,Dulux Floorplus , Berger Weathercoat Floor Protector ,Indigo platium Series) with all tools tackles and labour etc. complete for the work (With 4 Year Warranty) | Sqm | 125.00 |
| 14.76 | Providing and applying Aluminium paint mimimum 2 coats in all metal surface applying @ 0.75 lit/ 10 Sqm up to required finish as per relevent I.S. code 2932: 2013 of (Product such as Asian Apcolite aluminium paint, Dulux Aliminium paint, Burger Superior Aluminium Paint) with all tools tackle and labour etc. complete for the work. | Sqm | 43.00 |
| 14.77 | Extra for painting exterior walls of height more than 10 m from ground level for every additional height of 3 m or part thereof for all painting work with all tools , tackles and labour etc.complete for the work. | Sqm | 7.00 |
| 14.78 | Providing and applying FRENCH SPRIT POLISH on new wood work after preparing the surface by rubbing down smooth with sand papers, covering the knots, if visible, applying a coat of wood filler, cleaning the surface, applying various (minimum 4 coats) of French spirit polish @0.35 lit/Sqm till the surface gives high gloss. inclusive of providing abro tape on edges and article and cleaning of adjucent surface with all tools, tackles and labour etc. complete for the work. | Sqm | 454.00 |
| 14.79 | Providing and applying ready to apply POLYURETHANE MODIFIED WOOD FINISH on new wood work in two coats with spray machine after preparing surface by rubbing down smooth with sand papers 180. this should be followed by smooth sanding with sand paper 320 or 400. .wipe the surface to clean off loose dust particles for secong coat applied @0.10L/Sqm (product such as Asian Paints TouchWood, Dulux sadoline interior, Berger wood keeper 1KPU ) inclusive of providing abro tape on edges and article and cleaning of adjucent surface with all tools, tackles and labour etc. complete for the work. | Sqm | 339.00 |

| | | | |
|---|---|---|---|
| 14.80 | Providing and applying Polishing in high gloss/matt finish MELAMINE CLEAR POLISH on wood work in required color/wooden shade texture with following process in the sequence as detailed below:1.The surface to be polished is rubbed with sand paper 80/120 no. & then with sand paper of 160/180 nos.2.Applying two coats of sealer with spray gun and allowing sufficient drying time for 1st coat and 2nd coat is allowed to dry for 8 to 12 hrs.3.On drying of sealer coat, wet rubbing with emery cloth of finer grading with ample water to remove excess sealer layer and make the surface further smooth after this wet rubbing,then surface is applied with special grade melamine fillers to fill all the small and big holes/grooves etc. Filler coat to be allowed to dry for 4 to 6 hrs on which again a light wet rubbing is done this surface is further allowed to dry for 12 hrs.4.On this, 1st coat of melamine polish is applied with spray gun using melamine clear polishand melamine thinner in required proportion. This 1st coat is allowed to dry for 24 hrs then this dry surface is again fine wet rubbed smooth, which is further allowed to dry for 12 hrs.The final melamine polish is applied with compressor pressure spray gun using melamine clear polish and melamine thinner mixed in required proportion complete as per direction of Engineer-in-Charge. Final coat to be done in 2 layers without gap of time. inclusive of providing abro tape on edges and article and cleaning of adjucent surface with all tools, tackles and labour etc. complete for the work. | Sqm | 799.00 |
| | **RENEWING WORK** | | |
| 14.81 | Renewal including scraping with white washing/ Colour washing with lime to give an even shade in two coats on existing lime surface consumption of lime 2.50kg /10 Sqm as per relevant I.S. code 6278:1971 , with all tools tackles and labour etc. complete for the work. | Sqm | 10.00 |
| 14.82 | Providing and applying for renewing the existing putty/paint surface with white cement based polymeric exterior grade putty for one or more coats applied @ 1.50 kg/ 10Sqm as per relevant I.S. code 17545:2021 (Product such as Birla wall care, Asian trucare, JK wall putty, Berger Bison wall putty) to make the surface smooth and even with all tools tackles and labour etc. complete for the work. | Sqm | 35.00 |
| 14.83 | Providing and applying for renewing on existing paint surface water proofing cement paint as per relevant I.S. code 5410:2013 of required shade (product such as Snowcem plus,J.K.Shri Cement paints,century cement Paints,Apex paints,Maxcoat Cement Paints ) with all tools tackles and labour etc. complete for the work . | | |
| 14.83.1 | two coats applied @ 1.5kg/10 sqm up to required finish | Sqm | 30.00 |
| 14.83.2 | one coat applied @ 1.0 kg/10 sqm up to required finish | Sqm | 26.00 |

| | | | |
|---|---|---|---|
| 14.84 | Providing and applying renewing with Synthatic oil bound washable Distemper having VOC content less than 50gms/ lit. as per relevant I.S. Code 428:2000 (product such as Asian Tractor synthatic distemper , Berger Bison Lite , Dulux A100 , Birla Opus Style super smart) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | | |
| 14.84.1 | Two coats up to final finish to give an even shade applied 0.75 kg / 10Sqm | Sqm | 37.00 |
| 14.84.2 | One coats up to final finish to give an even shade applied 0.35 kg / 10Sqm | Sqm | 25.00 |
| 14.85 | Providing and applying for renewing Acrylic washable Distemper or lite economy Plastic emulsion paint having VOC content less than 50gms/ lit as per relevant I.S. Code 428:2000 (product such as Tractor Uno, Dulux acrylic distemper, Berger Bison, Opus Style/ lite economy emulsion product such as Asian Tactor Spark ,Dulux Pomise sheen, Neroloc Litil Master, Berger Bison Lite, Nippon Superio.) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | | |
| 14.85.1 | Two coats up to final finish applied @ 0.750Kg/ 10Sqm | Sqm | 40.00 |
| 14.85.2 | one coats up to final finish applied @ 0.45 Kg/ 10Sqm | Sqm | 27.00 |
| 14.86 | Providing and applying for renewing Economy Plastic emulsion paint with roller application as per relevant I.S. Code 15489:2013 Type -1 Class D & C (Glossy and Semi Glossy Finish) of required shade (product such as Tractor emulsion , Dulux Promise, Nerolac Bueaty Silver, Berger bison/breeze , Opus I30/ Style Paint) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | | |
| 14.86.1 | Two coats applied @ 0.85 lit / 10 Sqm up to final finish | Sqm | 53.00 |
| 14.86.2 | One coats applied @ 0.6 lit / 10 Sqm up to final finish | Sqm | 33.00 |
| 14.87 | Providing and applying for renewing with Premium plastic emulsion paint with roller application as per relevant I.S. Code 15489:2013 Type -1 Class D & C ( Glossy and Semi Glossy Finish) of required shade (Product such as Asian Apcolite Premium ,Dulux Super Cover, Berger Easy Clean ,Nippon Breezee Metex Gold, Opus I-50 / Calista) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | | |
| 14.87.1 | Two coats applied @ 0.75 lit / 10Sqm up to final finish | Sqm | 64.00 |
| 14.87.2 | One coats applied @ 0.45 lit / 10Sqm up to final finish | Sqm | 46.00 |

| | | | |
|---|---|---|---|
| 14.88 | Providing and applying for renewing Luxury plastic emulsion paint with roller application as per relevant I.S. Code 15489:2013 Type -1 Class D , C , B & A (Glossy/Semi Glossy and Matt ,Egg Shell or Satin finish) of required shade (Product such as Asian Royale Shyne, Dulux Velvet Touch, Berger Silk Luxury Emulsion ,Nippon Impression Pearl , Opus Pure Elegance) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | | |
| 14.88.1 | Two coats applied @ 0.75 lit / 10Sqm up to final finish | Sqm | 77.00 |
| 14.88.2 | One coats applied @ 0.45 lit / 10Sqm up to final finish | Sqm | 51.00 |
| 14.89 | Providing and applying for renewing on exterior surface with Lite Economy Exterior Emulsion paint of required shades to give protective and water proof finish as per relevant I.S. Code 15489:2013 Type -2 Class D , C (Glossy /Semi Glossy finish) (Product such as Asian ACE Spark ,Dulux Pomise exterior smart , Nerolac Littil Master, Berger Bison Lite, Nippon Superio etc) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | | |
| 14.89.1 | Two coats applied @ 0.75lit / 10Sqm up to final finish | Sqm | 37.00 |
| 14.89.2 | One coats applied @ 0.45 lit / 10Sqm up to final finish | Sqm | 27.00 |
| 14.90 | Providing and applying for renewing on exterior surface with Economy Exterior Emulsion paint of required shades to give protective and water proof finish as per relevant I.S. Code 15489:2013 Type -2 Class D , C ( Glossy /Semi Glossy finish) (Product such as Asian Ace ,Dulux Promise Exterior , Berger Wall Masta ,Nerolac Suraksha Plus ,Nippon Shogun, Opus One Style Power Bright) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | | |
| 14.90.1 | Two coats applied @ 0.75lit / 10Sqm up to final finish | Sqm | 41.00 |
| 14.90.2 | One coats applied @ 0.45 lit / 10Sqm up to final finish | Sqm | 32.00 |
| 14.91 | Providing and applying for renewing on exterior surface with PREMIUM Exterior emulsion paint of required shade to give protective and water proof finish as per relevant I.S. Code 15489:2013 Type -2 Class D , C (Glossy /Semi Glossy finish) (Product such as Asian Apex ,Dulux Weather Shield Prima E900, Berger Weathercoat Antidust ,Nerolac Everlas Excel ,Nippon Sumo Etra, Opus True flex) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for the work. | | |

| | | | |
|---|---|---|---|
| 14.91.1 | Two coats applied @ 0.75lit / 10Sqm up to final finish | Sqm | 49.00 |
| 14.91.2 | One coats applied @ 0.45 lit / 10Sqm up to final finish | Sqm | 34.00 |
| 14.92 | Providing and applying for renewing exterior surface with PREMIUM HEAVY DUTY Glossy or Matt Finish exterior emulsion paint of required shade to give protective and water proof finish as per relevant I.S. Code 15489:2013 Type -2 Class D , C , B & A (Glossy / matt / Egg Shell finish) having high DFT and silicon aditive for elastomaric property (Product such as Asian Ultima ,Dulux Weathershield Ultraclean , Berger Weathercoat all Guard , Nerolac Excel Total , Nippon Durafresh Expert , Opus Tru Look) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackles and labour etc. complete for work. | | |
| 14.92.1 | Two coats applied @ 0.75 lit / 10Sqm up to final finish | Sqm | 60.00 |
| 14.92.2 | One coats applied @ 0.45 lit / 10Sqm up to final finish | Sqm | 42.00 |
| 14.93 | Providing and applying renewing satin/ matt finish Enamel paint one coats in all surface applying @ 0.75 lit/ 10 Sqm up to required finish as per relevent I.S. code 2932: 2013 of (Product such as Asian satin Enamel, Dulux Promise Premium Enamel , Nerolac Synthatic Enamel, Opus Prime enamel ) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackle and labour etc.complete for the work. | Sqm | 83.00 |
| 14.94 | Providing and applying renewing glossy finish Enamel paint one coats in all surface applying @ 0.75 lit/ 10 Sqm up to required finish as per relevent I.S. code 2932: 2013 of (Product such as Asian Apcolite Premium Enamel , Dulux Promise Premium Enamel , Nerolac Synthatic Enamel, Opus Prime enamel ) inclusive of providing abro tape on edges and article and cleaning of door, windows, floor and surface as required with all tools tackle and labour etc.complete for the work. | Sqm | 73.00 |
| 14.95 | Providing and applying renewing exterior floor surface with PREMIUM HEAVY DUTY ACRYLIC exterior emulsion paint of required shade of one coats applied @ 0.75 lit / 10Sqm up to final finish as per relevant I.S. Code 15489:2013 (Product such as Asian Apex Floor Guard ,Dulux Floorplus , Berger Weathercoat Floor Protector , Indigo platium Series) with all tools tackles and labour etc.complete for work. | Sqm | 81.00 |
| 14.96 | Removing white or colour wash/distemper by scrapping, sand papering and preparing the surface smooth including necessary repair to scratches etc.complete. | Sqm | 7.00 |
| 14.97 | Removing of paint on internal plastic emulsion/enamel paint by scraping sand papering and preparing the surfaces smooth including necessary repair to scratches etc.complete. | Sqm | 8.00 |
| 14.98 | Removing of paint on external surface exterior emulsion/cement paint by scraping sand papering and preparing the surfaces smooth including necessary repair to scratches etc. complete at all height. | Sqm | 10.00 |

| | | | |
|---|---|---|---|
| 14.99 | Providing and applying FRENCH SPRIT POLISH on existing polished wood work including removing the polish and preparing the surface by rubbing down smooth with sand papers, covering the knots, if visible, applying a coat of wood filler, cleaning the surface, applying various (minimum 2 coats) of French spirit polish till the surface gives high gloss inclusive of providing abro tape on edges and article and cleaning of adjucent surface with all tools, tackles and labour etc. complete for the work. | Sqm | 307.00 |
| 14.100 | Providing and applying ready to apply POLYURETHANE MODIFIED WOOD FINISH on existing polish surface including removing the old polish and applying with spray machine after preparing surface by rubbing down smooth with sand paper no.180. this should be followed by smooth sanding with sand paper no320 or 400. wipe the surface to clean off loose dust particles for secong coat applied @0.05L/Sqm (product such as Asian Paints TouchWood, Dulux sadoline interior, Berger wood keeper 1KPU ) inclusive of providing abro tape on edges and article and cleaning of adjucent surface with all tools, tackles and labour etc. complete for the work. | Sqm | 266.00 |

All above ammendments shall be applicable with immediate effect.

5/5/2025

**Engineer-In-Chief**
Public Works Department
Nawa Raipur, Atal Nagar (C.G.)

Endt. No.65011/ 656 /SOR/ Nawa Raipur, Atal Nagar Dated 05/05/2025

Copy to the

1. P.A. to Honorable Minister of P.W.D.C.G. Govt. Raipur.
2. Secretary, C.G. Govt. P.W.D. Nawa Raipur Atal Nagar.
3. Secretary, Finance Department C.G. Govt. Nawa Raipur Atal Nagar.
4. All Chief Engineers. P.W.D. Chhattisgarh.
5. All Superintending Engineer, P.W.D. Chhattisgarh.
6. Chief Technical Examiner (V) C.G. Raipur
7. Accountant General, C.G. Raipur
8. All Collectors, Chhattisgarh.
9. All Executive Engineer, P.W.D. Chhattisgarh.
10. Website Public Works Department https://www.cg.nic.in/pwdraipur

5/5/2025

**Engineer-In-Chief**
Public Works Department
Nawa Raipur, Atal Nagar (C.G.)

(10/11)